



XES Swim Pool Unit  
XES900 – XES5000

# ERV-PAC Packaged Swim Pool Unit



## Swim Pool Unit Overview

The XES series provides packaged air conditioning and energy recovery for indoor swimming pool areas. Designed with the specific need to overcome condensation and the corrosive nature of the chlorine laden air, the XES unit includes EC Plug Fans, corrosion resistant internal coating, and corrosion resistant plate heat exchanger. The cabinet and components are lined with a corrosion resistant coating. The unit configuration suits external rooftop or plant room applications.

Standard capacities range from 900 l/sec to 5,000 l/ sec and equipment can be specifically engineered for larger applications up to 15,000 l/sec.

### Options include:


- Additional Hot and Chilled Water Coils
- BLDC Inverter Compressors
- Various Control Options



# Performance Data

Model Number	Nominal Air Flow Rate (l/sec)	Energy Recovered (Winter) kW*	Nominal Compressor Heating Capacity kW*	Corrosion Resistant Coating	Dimensions (mm) L x W x H
XES900	900	17.6	18	Yes	2000 x 1300 x 1700
XES1200	1200	23.7	27	Yes	2000 x 1700 x 1700
XES1500	1500	31.1	32	Yes	2400 x 1800 x 2000
XES1700	1700	34.9	37	Yes	2400 x 1800 x 2000
XES2000	2000	42.1	46	Yes	2400 x 2600 x 2000
XES2500	2500	51.8	52	Yes	2400 x 2600 x 2000
XES3000	3000	62.1	68	Yes	2400 x 3000 x 2000
XES3500	3500	71.7	74	Yes	2400 x 3000 x 2000
XES4000	4000	82.9	80	Yes	2400 x 3900 x 2000
XES4500	4500	92.4	88	Yes	2400 x 3900 x 2000
XES5000	5000	102.8	96	Yes	2400 x 4200 x 2000

\* Rated at Standard Winter Conditions of Ambient 1°db/70%RH. Return Air 28°db/70%RH. Subject to change. With Sensible Media.





# Fresh Air Indoors

For more information

W: [armcor.com.au](http://armcor.com.au)

E: [sales@armcor.com.au](mailto:sales@armcor.com.au)

P: (03) 8301 9200

109–111 Northcorp Blvd  
Broadmeadows Vic 3047

**armcor**  
air solutions