

ROTARY HEAT WHEEL ERV

EXTERNAL MOUNT



REM1200P3 TECHNICAL DATA

TECHNICAL SPECIFICATIONS

NOMINAL AIRFLOW

Supply Air (l/sec)	1000 - 1200
Exhaust Air (l/sec)	1000 - 1200
Return Air (l/sec)	1000 - 1200
Fresh Air (l/sec)	1000 - 1200

SUPPLY FAN

Fan Type	EC Plug
Fan Motor	EC Motor
Motor Power (Watts)	1700
External Static (Pa)	200
Fan Diameter	355
Number of Fans	1

EXHAUST FAN

Fan Type	EC Plug
Fan Motor	EC Motor
Motor Power (Watts)	1700
External Static (Pa)	200
Fan Diameter	355
Number of Fans	1

ELECTRICAL

Supply Fan FLA (A)	2.6 - 2.6 - 2.6
Exhaust Fan FLA (A)	2.6 - 2.6 - 2.6
Rotary Wheel (A)	0.36 - 0.36 - 0.36
Nominal Run Current	5.56 - 5.56 - 5.56
Volt/Phase	415V/3ph
Switchboard	Yes
Circuit Breakers	Yes

CONTROLS

0-10V DC (Fan Control)	Included
24V AC Enable Heat Wheel	Included
Heat Wheel VSD	Available

ROTARY HEAT WHEEL

*RATED AT STANDARD CONDITIONS OF
SUMMER 35.5°db/40%RH WINTER 3°db/68%RH

Enthalphy Heat Wheel	Standard
Sensible Heat Wheel	Available
Wheel Diameter (mm)	1380
Efficiency %	85.1
Size L x W x D (mm)	1500 x 1500 x 400
Media Face Velocity (m/sec)	1.63
Pressure Drop (Pa)	94
Kw Recovered (Cooling)*	18.4
Kw Recovered (Heating)*	31.01

CABINET CONSTRUCTION

Casing	50mm Panel
Insulation Value	R2.0
Side Access Panels	Included

FILTERS

Type	Deep Bed Filters F5
Size L x W x D (mm)	610 x 610 x 380
Number of Filters	2
Size L x W x D (mm)	610 x 305 x 380
Number of Filters	2

OPTIONS

Chilled Water/ Hot Water Coil	Available (Model REC1200)
Evaporative Cooling Pad	Available (Model REI1200)
Economy Cycle	Available
Return Air Bypass	Available
75mm Panel Casing	Available
Corrosion Resistant Lining	Available
Stainless Steel Drain Tray	Available


ROTARY HEAT WHEEL ERV

EXTERNAL MOUNT

REM1200P3 TECHNICAL DATA



TECHNICAL DRAWINGS



DIMENSIONS

Height (mm)	1700
Width (mm)	1700
Length (mm)	2300
Weight (Kg)	760
Access Clearance (mm)	800 (Controls & Filter Access)
Access Clearance (mm)	300

DUCT SIZES

Exhaust Air (mm)	915 x 610
Return Air (mm)	915 x 610
Supply Air (mm)	915 x 610
Fresh Air (mm)	915 x 610


ROTARY HEAT WHEEL ERV

EXTERNAL MOUNT

REM1200P3 TECHNICAL DATA



FAN PERFORMANCE DATA




SOUND POWER LEVELS*

INLET RATING dB		OUTLET RATING dB	
63 Hz	65.8	63 Hz	68.2
125 Hz	65.1	125 Hz	66.5
250 Hz	75.3	250 Hz	75.5
500 Hz	74.1	500 Hz	77.4
1K Hz	69.5	1K Hz	79.5
2K Hz	70.3	2K Hz	76.7
4K Hz	67.3	4K Hz	72.3
8K Hz	67.1	8K Hz	70.1
LwA	77.1	LwA	83.3

* Sound Power Levels @ 500 Pa Total Static Pressure and 1200 l/s Total Air Volume.

WIRING DIAGRAM



OPTION 1

0-10V DC CONTROL
VIA CONNECTION TO BMS

OPTION 2

24V AC ENABLE
REGULATE FAN SPEED
VIA POTS

Designed and manufactured in Australia

Armcor Air Solutions

109-111 Northcorp Blvd, Broadmeadows 3047

P 1800 244 556 E sales@armcor.com.au

www.armcor.com.au

